Author Index Vol. 674

Abubaker, M.A., Petersen, J.R. and Bissell, M.G.
Micellar electrokinetic capillary chromatographic separation of steroids in urine by trioctylphosphine oxide and cationic surfactant 674(1995)31

Alonso, R.M., see Maguregui, M.I. 674(1995)85

Alric, C., see Cociglio, M. 674(1995)101

Alvinerie, M., Sutra, J.F., Badri, M. and Galtier, P.
Determination of moxidectin in plasma by high-performance liquid chromatography with automated solid-phase extraction and fluorescence detection 674(1995)119

Amagaya, S., see Ono, H. 674(1995)293

Badri, M., see Alvinerie, M. 674(1995)119

Balážová, J., see Valášková, I. 674(1995)310

Bartolucci, G., see Guarna, A. 674(1995)197

Beijnen, J.H., see Huizing, M.T. 674(1995)261

Birkett, A.M., Jones, G.P. and Muir, J.G.
Simple high-performance liquid chromatographic analysis of phenol and *p*-cresol in urine and feces 674(1995)187

Bissell, M.G., see Abubaker, M.A. 674(1995)31

Blaschke, G., see Weinz, C. 674(1995)287

Boulieu, R., see Lehmann, B. 674(1995)138

Brasseur, P., see Tharasse-Bloch, C. 674(1995)247

Bueno, S.M.A., see Haupt, K. 674(1995)13

Caldwell, K.D., see Tong, X. 674(1995)39

Canafax, D.M., see Yuan, Z. 674(1995)93

Cazers, A.R., see Hornish, R.E. 674(1995)219

Chan, K.K., see Wang, J.J.-H. 674(1995)205

Charles, B.G., see Wallis, S.C. 674(1995)306

Chester, Jr., S.T., see Hornish, R.E. 674(1995)219

Chou, S.-T., see Yang, C.-S. 674(1995)23

Christopherson, R.I., see Szabados, E. 674(1995)132

Cociglio, M., Hillaire-Buys, D. and Alric, C.
Determination of methotrexate and 7-hydroxymethotrexate by liquid chromatography for routine monitoring of plasma levels 674(1995)101

Cole, R.O., see Tess, D.A. 674(1995)253

Cooper, S.F., see Li, F. 674(1995)277

Danza, G., see Guarna, A. 674(1995)197

Dini, S., see Guarna, A. 674(1995)197

Donald, P.R., see Seifart, H.I. 674(1995)269

Döppenschmitt, S.A., Scheidel, B., Harrison, F. and Surmann, J.P.
Simultaneous determination of prednisolone, prednisolone acetate and hydrocortisone in human serum by high-performance liquid chromatography 674(1995)237

Drewe, J., see Huwyler, J. 674(1995)57

Favennec, L., see Tharasse-Bloch, C. 674(1995)247

Gahan, L.R., see Wallis, S.C. 674(1995)306

Galtier, P., see Alvinerie, M. 674(1995)119

Gent, W.L., see Seifart, H.I. 674(1995)269

Godbillon, J., see Pommier, F. 674(1995)155

Gregus, Z., see Madhu, C. 674(1995)193

Grosse, J., see Mueller, R.K. 674(1995)1

Guarna, A., Danza, G., Bartolucci, G., Marrucci, A., Dini, S. and Serio, M.
Synthesis of 5,6,6-[$^2H_3$]finasteride and quantitative determination of finasteride in human plasma at picogram level by an isotope-dilution mass spectrometric method 674(1995)197

Harrison, F., see Döppenschmitt, S.A. 674(1995)237

Hata, S., see Takenaga, N. 674(1995)111

Haupt, K., Bueno, S.M.A. and Vijayalakshmi, M.A.
Interaction of human immunoglobulin G with L-histidine immobilized onto poly(ethylene vinyl alcohol) hollow-fiber membranes 674(1995)13

Havránek, E., see Valášková, I. 674(1995)310

Hillaire-Buys, D., see Cociglio, M. 674(1995)101

Hiraoka, M., see Shimizu, T. 674(1995)77

Hornish, R.E., Cazers, A.R., Chester, Jr, S.T. and Roof, R.D.
Identification and determination of pirlimycin residue in bovine milk and liver by high-performance liquid chromatography–thermospray mass spectrometry 674(1995)219

Huizing, M.T., Sparreboom, A., Rosing, H., Van Tellingen, O., Pinedo, H.M. and Beijnen, J.H.
Quantification of paclitaxel metabolites in human plasma by high-performance liquid chromatography 674(1995)261

Huwyler, J., Rufer, S., Küsters, E. and Drewe, J.
Rapid and highly automated determination of morphine and morphine glucuronides in plasma by on-line solid-phase extraction and column liquid chromatography 674(1995)57

Ikeya, Y., see Ono, H. 674(1995)293

Ishii, Y., see Takenaga, N. 674(1995)111

Ivanova, T.V., see Rumiantsev, D.O. 674(1995)301

Jiménez, R.M., see Maguregui, M.I. 674(1995)85

Jones, G.P., see Birkett, A.M. 674(1995)187

Klaassen, C.D., see Madhu, C. 674(1995)193

Kolawole, J.A., Taylor, R.B. and Moody, R.R.
Determination of proguanil and metabolites in small sample volumes of whole blood stored on filter paper by high-performance liquid chromatography 674(1995)149

Krishna, R., Riggs, K.W., Walker, M.P.R., Kwan, E. and Rurak, D.W.
Sensitive fused-silica capillary gas chromatographic assay using electron-capture detection for indomethacin in ovine fetal fluids 674(1995)65

Kuo, J.-S., see Yang, C.-S. 674(1995)23

Küsters, E., see Huwyler, J. 674(1995)57

Kwan, E., see Krishna, R. 674(1995)65

Lang, R., see Mueller, R.K. 674(1995)1

Lehmann, B. and Boulieu, R.
Determination of midazolam and its unconjugated 1-hydroxy metabolite in human plasma by high-performance liquid chromatography 674(1995)138

Li, F., Cooper, S.F. and Mikkelsen, S.R.
Enantioselective determination of oxprenolol and its metabolites in human urine by cyclodextrin-modified capillary zone electrophoresis 674(1995)277

Liu, L., see Yang, C.-S. 674(1995)23
Lopez-Galera, R., Pou-Clave, L. and Pascual-Mostaza, C.
Determination of amphotericin B in human serum by liquid chromatography 674(1995)298
Madhu, C., Gregus, Z. and Klaassen, C.D.
Simple method for analysis of diquat in biological fluids and tissues by high-performance liquid chromatography 674(1995)193
Maguregui, M.I., Alonso, R.M. and Jiménez, R.M.
High-performance liquid chromatography with amperometric detection applied to the screening of β-blockers in human urine 674(1995)85
Marchand, J., see Tharasse-Bloch, C. 674(1995)247
Marrucci, A., see Guarna, A. 674(1995)197
Maruno, M., see Ono, H. 674(1995)293
Matsuzaki, Y., see Ono, H. 674(1995)293
Mikkelsen, S.R., see Li, F. 674(1995)277
Monden, S., see Takenaga, N. 674(1995)111
Moody, R.R., see Kolawole, J.A. 674(1995)149
Mueller, R.K., Grosse, J., Lang, R. and Thieme, D.
Chromatographic techniques—the basis of doping control 674(1995)1
Muir, J.G., see Birkett, A.M. 674(1995)187
Nakanomyo, H., see Shimizu, T. 674(1995)77
Ohkura, Y., see Saito, M. 674(1995)167
Ono, H., Matsuzaki, Y., Wakui, Y., Takeda, S., Ikeya, Y., Amagaya, S. and Maruno, M.
Determination of schizandrin in human plasma by gas chromatography–mass spectrometry 674(1995)293
Pagliuca, G., see Piretti, M.V. 674(1995)177
Parkin, D.P., see Seifart, H.I. 674(1995)269
Pascual-Mostaza, C., see Lopez-Galera, R. 674(1995)298
Petersen, J.R., see Abubaker, M.A. 674(1995)31
Pinedo, H.M., see Huizing, M.T. 674(1995)261
Piretti, M.V., Pagliuca, G. and Tarozzi, G.
Simultaneous reversed-phase high-performance liquid chromatographic separation of non-polar isoprenoid lipids and their determination 674(1995)177
Pommier, F., Sioufi, A. and Godbillon, J.
Simultaneous determination of norethisterone and six metabolites in human plasma by capillary gas chromatography with mass-selective detection 674(1995)155
Pou-Clave, L., see Lopez-Galera, R. 674(1995)298
Radulovic, L.L., see Windsor, B.L. 674(1995)143
Riggs, K.W., see Krishna, R. 674(1995)65
Roof, R.D., see Hornish, R.E. 674(1995)219
Rosing, H., see Huizing, M.T. 674(1995)261
Rufer, S., see Huwyler, J. 674(1995)57
Rumiantsev, D.O. and Ivanova, T.V.
Solid-phase extraction on Styrosorb cartridges as a sample pretreatment method in the stereoselective analysis of propranolol in human serum 674(1995)301
Rurak, D.W., see Krishna, R. 674(1995)65
Rushing, L.G., Webb, S.F. and Thompson Jr, H.C.
Determination of leucogentian violet and gentian violet in catfish tissue by high-performance liquid chromatography with visible detection 674(1995)125
Russlie, H.Q., see Yuan, Z. 674(1995)93
Ueno, K.
Saito, M., Ushijima, T., Sasamoto, K., Ohkura, Y. and Ueno, K.
2-(5-Hydrazinocarbonyl-2-oxazolyl)-5,6-dimethoxybenzothiazole as a precolumn fluorescence derivatization reagent for carboxylic acids in high-performance liquid chromatography and its application to the assay of fatty acids in human serum 674(1995)167
Sasaki, Y., see Takenaga, N. 674(1995)111
Sasamoto, K., see Saito, M. 674(1995)167
Säwe, J., see Svensson, J.O. 674(1995)49
Scheidel, B., see Döppenschmitt, S.A. 674(1995)237
Seifart, H.I., Gent, W.L., Parkin, D.P., Van Jaarsveld, P.P. and Donald, P.R.
High-performance liquid chromatographic determination of isoniazid, acetylisoniazid and hydrazine in biological fluids 674(1995)269
Serio, M., see Guarna, A. 674(1995)197
Shimizu, T., Hiraoka, M. and Nakanomyo, H.
Enantioselective determination of sotalol enantiomers in biological fluids using high-performance liquid chromatography 674(1995)77
Sioufi, A., see Pommier, F. 674(1995)155
Sparreboom, A., see Huizing, M.T. 674(1995)261
Surmann, J.P., see Döppenschmitt, S.A. 674(1995)237
Sutra, J.F., see Alvinerie, M. 674(1995)119
Svensson, J.O., Yue, Q.Y. and Säwe, J.
Determination of codeine and metabolites in plasma and urine using ion-pair high-performance liquid chromatography 674(1995)49
Szabados, E. and Christopherson, R.I.
Rapid radioassay for metabolites of adenosine and deoxyadenosine in erythrocytes 674(1995)132
Takeda, S., see Ono, H. 674(1995)293
Takenaga, N., Ishii, Y., Monden, S., Sasaki, Y. and Hata, S.
Simultaneous determination of a new anticancer agent (NB-506) and its active metabolite in human plasma and urine by high-performance liquid chromatography with ultraviolet detection 674(1995)111
Tarozzi, G., see Piretti, M.V. 674(1995)177
Taylor, R.B., see Kolawole, J.A. 674(1995)149
Tess, D.A., Cole, R.O. and Toler, S.M.
Sensitive method for the quantitation of droloxifene in plasma and serum by high-performance liquid chromatography employing fluorimetric detection 674(1995)253
Tharasse-Bloch, C., Brasseur, P., Favennec, L. and Marchand, J.
Determination of sinefungin in rat plasma by high-performance liquid chromatography 674(1995)247
Thieme, D., see Mueller, R.K. 674(1995)1
Thompson Jr, H.C., see Rushing, L.G. 674(1995)125
Toler, S.M., see Tess, D.A. 674(1995)253
Tong, X. and Caldwell, K.D.
Separation and characterization of red blood cells with different membrane deformability using steric field-flow fractionation 674(1995)39
Tsai, P.-J., see Yang, C.-S. 674(1995)23
Ueno, K., see Saito, M. 674(1995)167
Ushijima, T., see Saito, M. 674(1995)167

Valášková, I., Balážová, J. and Havránek, E.
Monitoring of lithium levels in human serum after therapy with lithium preparations by capillary isotachophoresis 674(1995)310
Van Jaarsveld, P.P., see Seifart, H.I. 674(1995)269
Van Tellingen, O., see Huizing, M.T. 674(1995)261
Vijayalakshmi, M.A., see Haupt, K. 674(1995)13
Wakui, Y., see Ono, H. 674(1995)293
Walker, M.P.R., see Krishna, R. 674(1995)65
Wallis, S.C., Charles, B.G. and Gahan, L.R.
Rapid and economical high-performance liquid chromatographic method for the determination of norfloxacin in serum using a microparticulate C_{18} guard cartridge 674(1995)306
Wang, J.J.-H. and Chan, K.K.
Analysis of ifosfamide, 4-hydroxyifosfamide, N2-dechloroethylifosfamide, N3-dechloroethylifosfamide and iphosphoramide mustard in plasma by gas chromatography–mass spectrometry 674(1995)205
Webb, S.F., see Rushing, L.G. 674(1995)125
Weinz, C. and Blaschke, G.
Investigation of the in vitro biotransformation and simultaneous enantioselective separation of thalidomide and its neutral metabolites by capillary electrophoresis 674(1995)287
Windsor, B.L. and Radulovic, L.L.
Measurement of a new anticonvulsant, (*S*)-3-(aminomethyl)-5-methylhexanoic acid, in plasma and milk by high-performance liquid chromatography 674(1995)143
Yang, C.-S., Chou, S.-T., Liu, L., Tsai, P.-J. and Kuo, J.-S.
Effect of ageing on human plasma glutathione concentrations as determined by high-performance liquid chromatography with fluorimetric detection 674(1995)23
Yuan, Z., Russlie, H.Q. and Canafax, D.M.
Sensitive assay for measuring amoxicillin in human plasma and middle ear fluid using solid-phase extraction and reversed-phase high-performance liquid chromatography 674(1995)93
Yue, Q.Y., see Svensson, J.O. 674(1995)49